

References: 1. Drover JW et al. J Am Coll Surg. 2011;212(3):385-399. 2. Waitzberg DL et al. World J Surg. 2006;30(8):1592-1604.
3. Braga M et al. Surg 2002;132:805-814. 4. McClave SA et al. JPEN 2013;37(1):99S-105S. 5. Taylor BE et al. CCM 2016;44(2):390-438.
6. http://www.becertain.org/strong_for_surgery/hospitals/nutrition. Accessed April 19, 2016. 7. Lassen K et al. Clin Nutr 2012;31:817-830.
8. Alito Aprelino M and de Aguilar-Nascimento JE. Nutr J 2016;15:1-7. 9. Hamilton-Reeves JM et al. Euro Urol 2016;69(3):389-392.

USE UNDER MEDICAL SUPERVISION. NOT INDICATED WHEN IMMUNE SUPPRESSION IS DESIRED.

Find more information and resources for the IMPACT[®] protocol by visiting: www.NestleHealthScience.us/impact

ERAS® is a trademark of the ERAS Society. Strong for Surgery® is a registered trademark of the American College of Surgeons.

* Resulting from the North American Surgical Nutrition Summit, sponsored by Nestlé HealthCare Nutrition, Inc.

**The above statement does not constitute an endorsement of IMPACT® formula or any other Nestlé HealthCare Nutrition product by SCCM or A.S.P.E.N.

